



**PRODUCT**  
**CATALOG** | **2025**  
**2026**

# Welcome

Robmeg Steel was established in February 2002 as a steel service centre focused on supplying steel-related products to the manufacturing industry. Over the years, thanks to our team's extensive knowledge and dedication, we have grown into a recognised leader in the manufacture of steel and aluminium windows, doors, and garage doors.

Our growth has been built on the pillars of **quality, innovation, and service excellence**. We are committed to delivering products that are efficient, reliable, and cost-effective. Our team's technical expertise and focus on continuous improvement ensure that every product we manufacture meets high standards of craftsmanship and performance.

As a family-run business, we prioritise a culture of equality, compassion, and respect in the workplace. This has created a supportive environment where our staff feel valued and empowered, resulting in a cohesive and motivated team. That same care and attention to detail is extended to our customers, with service that is both personal and professional.

Innovation is a cornerstone of our company philosophy. We are proud to be at the forefront of design and engineering in our industry, continually refining our product offerings to suit modern needs and preferences. One of our most notable innovations is Jumatrell – Security that Fits. This range of security doors and burglar bars features a unique telescopic fit, offering a seamless and secure solution tailored to each space. It's practical, stylish, and exceptionally secure—everything you'd expect from a Robmeg Steel product.

We are proud to offer a wide and versatile range of products, including:


- **Aluminium Windows and Doors** – Sleek, durable, and low-maintenance options ideal for residential or commercial applications.
- **Sliding and Folding Doors** – Space-saving solutions that create seamless indoor-outdoor flow.
- **Metal Windows and Doors** – Strong and secure, designed for performance and longevity.
- **Garage Doors** – Including sectional garage doors, combining aesthetics and functionality to enhance any property.
- **Jumatrell Security Doors & Burglar Bars** – Featuring our innovative telescopic fit for tailored, high-security solutions.

Each product is manufactured with a focus on longevity, safety, and design appeal. Our aluminium options offer a clean, modern look with excellent weather resistance, while our steel products are engineered for robustness and protection. Whether you're upgrading your home, enhancing your business premises, or securing your property, we offer tailored solutions that meet your needs.

At Robmeg Steel, our aim is simple: to deliver **reliable, high-quality products** that add value to your space. With over two decades of industry expertise, a reputation for service, and a passion for innovation, we are your trusted partner in steel, aluminium, and security solutions.

Let Robmeg Steel be your first choice for **strength, security, and style**.

## What We Do



## Aluminium Product Range

We are excited to introduce our range of high-quality aluminium products, which includes a variety of windows and doors.

Our aluminium windows are available in both top and side hung configurations, providing versatile options to suit your specific needs.

Our aluminium doors are designed to be both stylish and functional, offering excellent security and energy efficiency.

For those looking to create a seamless transition between indoor and outdoor spaces, our aluminium sliding doors are an excellent choice. They provide a modern and elegant look while allowing natural light to flood into your home or business.

Our aluminium stacking doors are a fantastic solution for those who want to maximise space and create an open and inviting atmosphere. These doors are easy to operate and can be customised to fit any size opening.

At our company, we take great pride in providing our customers with a wide range of high-quality aluminium products.

We believe that our extensive product range reflects our commitment to excellence and our desire to meet our customers' unique needs.

All our windows and doors are manufactured to standard industry sizes with a size tolerance between -2mm and +2mm.

When measuring and placing orders the sizes should be based on the openings as viewed from the outside of the area.

For protection and quality, the products are delivered wrapped to protect against building debris and mess such as cement, plaster, paint, etc.

We recommend only removing the wrapping once all building and painting is complete.

Our standard colours are:



Natural



Bronze



Charcoal



White

Please note that the colour swatches used are only for illustrative purposes and are not an exact replica of the final product colour

# Aluminium Doors

**Cottage 8 Pane**



Side Hung - EDCP

**Staggered**



Side Hung - EDST

**Staggered / Solid**



Side Hung - EDSS  
Stable - STSS

**Criss Cross**



Side Hung - EDCC

**Americana**



Side Hung - EDAM

**2 Pane Stable**



Side Hung - ED2P

**4 Pane Stable**



Stable - STH4

**Full Slats**



Side Hung - EDFS  
Stable - STFS

**Full Pane**



Side Hung - EDFP  
Pivot - PDFP

**Midrail**



Side Hung - EDMR  
Stable Door - STMR

**Ilano**



Side Hung - EDIL  
Pivot - PDIL

# Aluminium Doors

**4 Pane Horizontal**



Side Hung - EDH4

**Horizontal**



Side Hung - EDH8  
Pivot - PDH8

**Half Pane Half Slats**



Side Hung - EDHS  
Stable - STHS

**Pinnacle**



Side Hung - EDPN

**Arrow Full Glass**



Side Hung - EDAR  
Pivot - PDAR

**Elegance**



Side Hung - EDEL  
Pivot - PDEL

**Valencia**



Side Hung - EDVC  
Pivot - PDVC

**Valencia + SL**



Side Hung - EDVC+SL

**Full Exquisite**






Side Hung - STEX  
Handles May Vary

**Full Exquisite + SL**



Side Hung - STEX+SL  
Handles May Vary


# Aluminium Sliding Doors




"S" indicates Safety Glass

# Aluminium Folding Doors

## 3 Panels






## 5 Panels






“S” indicates Safety Glass

# Aluminium Folding Doors

## 6 Panels






## 7 Panels



“S” indicates Safety Glass

# Aluminium Folding Doors

## 10 Panels



“S” indicates Safety Glass

# Aluminium Windows


Aluminium windows are extremely durable and resistant to harsh weather conditions.

They have a high corrosion resistance and will not swell, crack, split or warp over time.

Aluminium frames boast a superior lifespan compared to most other materials and require little maintenance.

Aluminium is 100% recyclable, non-toxic and completely sustainable. The recycling process of aluminium requires only 5% of the initial energy required to create it.

The standard colours are:



Natural



Bronze



Charcoal




White


*Please note that the colour swatches used are only for illustrative purposes and are not an exact replica of the final product colour*




## Windows - 590mm (h)




PT66




PT96




PT126




PT156




PT186




PTT186




PT216



PTT216




PT246




PTT246


## Windows - 890mm (h)




PT69




PT99




PT129




PT159




PTT159




PT189




PTT189




PT219



PTT219




PT249




PTT249

## Windows - 1190mm (h)






"S" indicates Safety Glass

## Windows - 1490mm (h)




"S" indicates Safety Glass

## Windows - 1790mm (h)




"S" indicates Safety Glass


## Windows - 890mm (h)




PS69




PS129




PSS129




PS159




PS189



PSS189




PSS219




PSS249


## Windows - 1190mm (h)




PS612




PS1212




PSS1212




PS1512




PS1812



PSS1812




PSS2112




PSS2412


## Windows - 1490mm (h)




PS615




PS1215




PSS1215




PS1515




PSS1515




PS1815



PSS1815




PSS2115




PSS2415

“S” indicates Safety Glass


## Windows - 1790mm (h)




PS618




PS1218




PSS1218




PS1518




PSS1518




PS1818



PSS1818



PSS2118



PSS2418

“S” indicates Safety Glass

## Single Doors


When judging the hand of combination doors, stand outside for open out doors and inside for open in doors.

### Open In



Right Hand

Inside




Outside



Left Hand

Inside




Outside

### Open Out



Left Hand

Inside




Outside



Right Hand

Inside



Outside


## Double Doors

When judging the hand of combination doors, stand outside for open out doors and inside for open in doors.


### Open In




Left Hand




Right Hand




### Open Out




Left Hand



Right Hand




## Single Doors



Widths are into rebate of frames. Heights are from finished floor to head rebate.


## Combination Doors




Widths are into rebate of frames. Heights are from finished floor to head rebate.

Steel panels are braced to give additional rigidity. Barrel bolts are fitted to Top and Bottom of Door Leaf

## Screeded Steel Door Frames



## Fanlight Type Frames



Note: Non-screeded Door Frames are 2064mm in overall height, which is 21mm shorter in length than screeded frames

## Transformer Room Doors


Transformer room doors are fitted with a standard padlatch to meet the specifications outlined by ESKOM and Municipalities.

Heavy duty hinges are fitted on all doors. The doors are finished with Grey Oxide primer as standard coating, however, for coastal conditions, these can be manufactured to order from pre-galvanised steel.

- Louvred unit vent panel is optional
- Our standard doors are outward opening. Opening inward will be on order only.
- All doors are fitted with heavy duty hinges
- All units made for 230 wall p.o.s. but, on order, can be manufactured for 115mm or 280mm walls
- Units ex-galvanised sheet available for coastal areas.
- Units available with left or right hand openings
- All louvred units include vermin proof mesh behind the louvre blades
- The following options are also available
  - Industrial Grade Quick Release Mechanism (QRM)
  - Crawl Beam Cut-Outs
  - Removable Panels and Removable Transom (for above the standard door heights)
  - Anti-theft Rings to protect locks
- Ideal for Solar System Rooms for commercial or residential



Inside View  
of QRM



Quick Release Mechanism

## Transformer Room Doors



Oversize Door with  
Extra Bracing  
3000 x 3000



Fanlight removable  
panel & crawl beam  
cut out

## Eskom Type Doors

- Eskom Type/City Power Slated Substation doors.
- Approx. size: 1760 x 2580
- 2 Locking Eyes
- Anti tamper pipe to protect locks
- Fish tail lugs, at base, for inserting into concrete base
- Excluding the rubber sealing strips, to be fitted after installation
- Supply only, excludes delivery & installation



Eskom  
3 Point Locking  
Mechanism




Eskom  
Front of  
Door




Eskom  
Door with  
Anti-Tamper  
Ring


## Transformer Room Doors




Single Door  
**Type A**  
 No Louvre Panel  
**Type AV**  
 Bottom Louvre Panel  
**Type AVV**  
 Top & Bottom Louvre Panels  
**Type AVA**  
 Full Louvre Vents




Single Door  
**Type B**  
 No Louvre Panel  
**Type BV**  
 Bottom Louvre Panel  
**Type BVV**  
 Top & Bottom Louvre Panels  
**Type BVA**  
 Full Louvre Vents




Single Door  
**Type C**  
 No Louvre Panel  
**Type CV**  
 Bottom Louvre Panel  
**Type CW**  
 Top & Bottom Louvre Panels  
**Type CVA**  
 Full Louvre Vents




Single Door  
**Type F**  
 No Louvre Panel  
**Type FV**  
 Bottom Louvre Panel  
**Type FVV**  
 Top & Bottom Louvre Panels  
**Type FVA**  
 Full Louvre Vents




Double Door  
**Type M**  
 No Louvre Panel  
**Type MV**  
 Bottom Louvre Panel  
**Type MVV**  
 Top & Bottom Louvre Panels  
**Type MVA**  
 Full Louvre Vents




Double Door  
**Type Y**  
 No Louvre Panel  
**Type YV**  
 Bottom Louvre Panel  
**Type YVV**  
 Top & Bottom Louvre Panels  
**Type YVA**  
 Full Louvre Vents




Single Door  
**Type H**  
 No Louvre Panel  
**Type HV**  
 Bottom Louvre Panel  
**Type HVV**  
 Top & Bottom Louvre Panels  
**Type HVA**  
 Full Louvre Vents




Double Door  
**Type G**  
 No Louvre Panel  
**Type GV**  
 Bottom Louvre Panel  
**Type GVV**  
 Top & Bottom Louvre Panels  
**Type GVA**  
 Full Louvre Vents




Double Door  
**Type D**  
 No Louvre Panel  
**Type DV**  
 Bottom Louvre Panel  
**Type DVV**  
 Top & Bottom Louvre Panels  
**Type DVA**  
 Full Louvre Vents



**Type ALU**





**Type BLU**







All transformer room doors are available fully louvred or with no louvres.

## Steel Cupboard Frames




Elevations are shown from the rebate side  
 (LH) - Left Hand  
 (RH) - Right Hand  
 Sizes:  
 Height - from finished floor to overall frame  
 Width - overall frame



Widths between rebates and heights from finished floor to rebate at Head are as follows:


Code	Width	Height	Code	Width	Height
a	610mm	2 032mm	e	610mm	450mm
b	762mm	2 032mm	f	762mm	450mm
c	1 206mm	2 032mm	g	1 206mm	450mm
d	1 511mm	2 032mm	h	1 511mm	450mm

## French Doors




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## G Type - Height 359mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## E Type - Height 654mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## C Type - Height 949mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## D Type - Height 1245mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## D50 Type - Height 1540mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## D/S Type - Height 1264mm



\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.


## D50/S Type - Height 1559mm



All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.


\*Glass not included with frames - shown for illustration only

## G/C Type - Height 1264mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## G/D Type - Height 1559mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## G/D50 Type - Height 1854mm




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## TD Type



\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## TD Type




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## TD Type




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## SS Industrial




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## SS Industrial




\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

## School Type



\*Glass not included with frames - shown for illustration only  
 All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

FLAT BAR - 20X4,5mm



B1

B2


DIMENSIONS OF MATERIAL

4,5mm



20mm

ROUND BAR - 10mm



B11

B33

10mm



Horizontal



10mm square bars  
at 150mm centres

10mm




10mm


Note - Bars spaced 125mm centre to centre  
Matching designs for fanlights available

## Cliscoe Windows

Inner type




Outer type




The "inner" type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.

The outer type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.




Typical cross-section viewed from the top.


Typical cross - section as seen from top to bottom.



Flat sill



To suit customer block size.





Side Hung open-out

Cliscoe Windows can be ordered in any window type configuration reflected in the previous pages

## Specifications

Model	Builders Opening (Width x height)	Curtain Width	Width Inside Guide Rails
Matty 245 Roll-a-door	2400 x 2100	2450	2462
Matty Standard Roll-a-door	2500 x 2100	2550	2562
Matty Caravan	2500 x 2700	2550	2562
Matty 3M x 3M Door	3000 x 3000	3050	3062

<p><b>Headroom</b></p> <table border="1"> <thead> <tr> <th>MM HEADROOM</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>NORMAL</td> <td>390</td> <td>40</td> <td>120</td> <td>460</td> </tr> <tr> <td>RESTRICTED</td> <td>315</td> <td>40</td> <td>85</td> <td>460</td> </tr> </tbody> </table>	MM HEADROOM	A	B	C	D	NORMAL	390	40	120	460	RESTRICTED	315	40	85	460	<p><b>Side Room for a ROLL-A-DOOR only</b></p> <table border="1"> <thead> <tr> <th>MM</th> <th>E1</th> </tr> </thead> <tbody> <tr> <td>RECOMMENDED</td> <td>100</td> </tr> <tr> <td>MINIMUM</td> <td>85</td> </tr> </tbody> </table>	MM	E1	RECOMMENDED	100	MINIMUM	85	<p><b>Side Room Automation System</b></p> <table border="1"> <thead> <tr> <th>LH &amp; RH</th> <th>E2</th> </tr> </thead> <tbody> <tr> <td>RECOMMENDED</td> <td>155</td> </tr> <tr> <td>MINIMUM</td> <td>130</td> </tr> </tbody> </table>	LH & RH	E2	RECOMMENDED	155	MINIMUM	130
MM HEADROOM	A	B	C	D																									
NORMAL	390	40	120	460																									
RESTRICTED	315	40	85	460																									
MM	E1																												
RECOMMENDED	100																												
MINIMUM	85																												
LH & RH	E2																												
RECOMMENDED	155																												
MINIMUM	130																												



## Accessories

Unique design to provide efficient storage & full protection of your garage doors



Plastic Wheel



Spring



U Bolt




End Cap



Lock



Face Plate



Aluminium & Rubber Seal



Retainer



Wall Bracket



Channels



Nylofelt



Roller Guide



Handle



Locking Arm

## Colours



Buffalo Brown



Charcoal



White



Zincalume




Traffic Green




Stone Grey

## Opening Sizes & Clearances


### Single Door



### Double Door




## Hardware Mechanism




## Colours Available



Bronze



White



Buffalo Brown



Charcoal



Stone Grey



**alu lux™**

## Raised & Fielded

The Alu-Lux™ and Bellmore™ garage doors, proudly crafted in South Africa, are meticulously manufactured and assembled right here. The design is tailor-made to withstand the challenging weather conditions commonly experienced in coastal regions. By choosing our garage doors, you not only gain peace of mind but also enjoy unparalleled quality that surpasses expectations.



## Horizontal Garage Door

For many years, Super Doors has established itself as the premier producer of garage doors in South Africa. We are committed to providing you with the utmost excellence in cutting-edge designs, superior quality, top-notch safety features, and a wide range of options. Our renowned Alu-Lux™ and Bellmore™ garage doors, crafted exclusively from the acclaimed Aluzinc material, guarantee that you receive nothing but the finest product available.

## Colours Available




JET BLACK



STONE GREY



BRONZE



WHITE



CHARCOAL



BROWN



## Finger Shield™

The side view of the pinch prevention patented panels, indicates the design innovation that will protect you and your family from serious hand or finger injuries. Together with this unique safety feature, it also has a higher than normal overlapping joint which seals each panel into the next. This prevents dust and rain penetrating the building.



## Double Strength Intermediates & End Caps

Double lipped intermediate struts allow for double the glued surface. Larger glued surfaces, which consist of a polyurethane high modulus glue, has proven to be the best in adhering metal to metal, ensuring a 50% stronger bond.

The boxes end caps being fixed on both sides stabilizes the panel, preventing flexing and allows for stronger and more secure fixing of hinges and other hardware.

Properly fixed hinges ensure a smoother and quieter functioning door.



## Super Drive SD-600N/SD-1000N Garage Door Openers

The garage door is usually the most used door in a home. The choice of a reliable and safe garage door opener is paramount.


With smooth quiet operation with minimal transmitted vibration, the Super Drive™ motors are ideal for homes with living rooms close to the garage. The opener ensures a flexible soft start and stop during the end of the travel cycle, resulting in a reduction of speed and noise. The opener also comes standard with automatic obstacle detection.

For added security, rolling code technology prevents the 'stealing of codes' as this means a brand new code is generated every time the opener is used, keeping your family and belongings safe and secure.



## Features

- 600/1000 Newton's Force
- Silent Operation
- Soft Start & Soft Stop
- Obstacle Detection Function
- Accurate Electronic Limits



CHAIN DRIVEN



2 REMOTES  
(with brackets)




BATTERY  
BACK-UP



EASY  
PROGRAMMING



## Ultra Barrier




## Trackless Slam Lock Security Door

Gate Height: 2000mm

Maximum Width Sizes: 840 - 900mm | 1000mm | 1150mm | 1300mm | 1450mm  
1600mm | 1950mm

Lock side: Left or Right    Colour Options: White | Charcoal | Bronze

## Ultra Secure



## DIY Burglar Bars for Windows


Height Range: 600mm | 900mm | 1200mm | 1500mm | 1800mm

Width Range: 600mm | 900mm | 1200mm | 1500mm | 1800mm | 2100mm | 2400mm

Colour Options: White | Charcoal | Bronze



## Ultra Secure




## DIY Single Upright Slam Lock Security Door

**Gate Height:** 2000mm - 2100mm

**Maximum Width Sizes:** 900mm | 1200mm | 1500mm | 1800mm | 2100mm | 2400mm | 2700mm  
3000mm | 3300mm | 3600mm | 3900mm | 4200mm | 4500mm

**Lock side:** Left or Right    **Colour Options:** White | Charcoal | Bronze

## Mega Secure




## Purpose Made Double Upright Security Door

**Gate Height:** 2000mm  
**Width Range:** 840 - 900mm | 1000mm | 1150mm | 1300mm | 1450mm | 1600mm  
1800mm | 1950mm

**Lock side:** Left or Right    **Colour Options:** White | Charcoal | Bronze



## Ultra Swing Gate




## Security Door

Range & Sizes	Width	Height
Ultra Expand	770 -900mm	2000mm
Ultra Trellis	770mm	2000mm
Ultra Barrier	770mm	2000mm
Arrow	770mm	2000mm
Arrow Eco	770mm	2000mm
Horizontal	770mm	2000mm
Horizontal Eco	770mm	2000mm
Gridlock	770mm	2000mm


Colour Options: White | Charcoal | Bronze



Trellis



Arrow



Horizontal



Gridlock



Ultra

# ROBMEGSTEEL

Steel & Aluminium Framework



+27 (11) 974 0024



[www.robmeg.co.za](http://www.robmeg.co.za)



[enquiries@robmeg.co.za](mailto:enquiries@robmeg.co.za)



22 Monteer Road, Isando

