



Welcome

Robmeg Steel was established in February 2002 as a steel service centre focused on supplying steel-related products to the manufacturing industry. Over the years, thanks to our team's extensive knowledge and dedication, we have grown into a recognised leader in the manufacture of steel and aluminium windows, doors, and garage doors.

Our growth has been built on the pillars of **quality, innovation, and service excellence**. We are committed to delivering products that are efficient, reliable, and cost-effective. Our team's technical expertise and focus on continuous improvement ensure that every product we manufacture meets high standards of craftsmanship and performance.

As a family-run business, we prioritise a culture of equality, compassion, and respect in the workplace. This has created a supportive environment where our staff feel valued and empowered, resulting in a cohesive and motivated team. That same care and attention to detail is extended to our customers, with service that is both personal and professional.

Innovation is a cornerstone of our company philosophy. We are proud to be at the forefront of design and engineering in our industry, continually refining our product offerings to suit modern needs and preferences. One of our most notable innovations is Jumatrell – Security that Fits. This range of security doors and burglar bars features a unique telescopic fit, offering a seamless and secure solution tailored to each space. It's practical, stylish, and exceptionally secure—everything you'd expect from a Robmeg Steel product.

We are proud to offer a wide and versatile range of products, including:


- **Aluminium Windows and Doors** – Sleek, durable, and low-maintenance options ideal for residential or commercial applications.
- **Sliding and Folding Doors** – Space-saving solutions that create seamless indoor-outdoor flow.
- **Metal Windows and Doors** – Strong and secure, designed for performance and longevity.
- **Garage Doors** – Including sectional garage doors, combining aesthetics and functionality to enhance any property.
- **Jumatrell Security Doors & Burglar Bars** – Featuring our innovative telescopic fit for tailored, high-security solutions.

Each product is manufactured with a focus on longevity, safety, and design appeal. Our aluminium options offer a clean, modern look with excellent weather resistance, while our steel products are engineered for robustness and protection. Whether you're upgrading your home, enhancing your business premises, or securing your property, we offer tailored solutions that meet your needs.

At Robmeg Steel, our aim is simple: to deliver **reliable, high-quality products** that add value to your space. With over two decades of industry expertise, a reputation for service, and a passion for innovation, we are your trusted partner in steel, aluminium, and security solutions.

Let Robmeg Steel be your first choice for **strength, security, and style**.

What We Do



Aluminium Product Range

We are excited to introduce our range of high-quality aluminium products, which includes a variety of windows and doors.

Our aluminium windows are available in both top and side hung configurations, providing versatile options to suit your specific needs.

Our aluminium doors are designed to be both stylish and functional, offering excellent security and energy efficiency.

For those looking to create a seamless transition between indoor and outdoor spaces, our aluminium sliding doors are an excellent choice. They provide a modern and elegant look while allowing natural light to flood into your home or business.

Our aluminium stacking doors are a fantastic solution for those who want to maximise space and create an open and inviting atmosphere. These doors are easy to operate and can be customised to fit any size opening.

At our company, we take great pride in providing our customers with a wide range of high-quality aluminium products.

We believe that our extensive product range reflects our commitment to excellence and our desire to meet our customers' unique needs.


All our windows and doors are manufactured to standard industry sizes with a size tolerance between -2mm and +2mm.

When measuring and placing orders the sizes should be based on the openings as viewed from the outside of the area.

For protection and quality, the products are delivered wrapped to protect against building debris and mess such as cement, plaster, paint, etc.

We recommend only removing the wrapping once all building and painting is complete.

Our standard colours are:



Natural



Bronze



Charcoal



White

Please note that the colour swatches used are only for illustrative purposes and are not an exact replica of the final product colour

Aluminium Doors

Cottage 8 Pane



EDCP

Staggered



EDST

Staggered / Solid



EDSS
Stable - STSS

Criss Cross



EDCC

Americana



EDAM

2 Pane Stable



ED2P

4 Pane Stable



Stable - STH4

Full Slats



EDFS
Stable - STFS

Full Pane



EDFP
Pivot - PDPF

Midrail



EDMR
Stable Door - STMR

Ilano



EDIL
Pivot - PDIL

4 Pane Horizontal



EDH4

Horizontal



EDH
Pivot - PDH

Half Pane Half Slats



EDHS
Stable - STHS

Pinnacle



EDPN

Arrow Full Glass



EDAR
Pivot - PDAR

Elegance



EDEL
Pivot - PDEL

Valencia



EDVC
Pivot - PDVC

Valencia + SL



EDVC + SL

Full Exquisite Pivot






STEX
Handles May Vary

Full Exquisite + SL



STEX + SL
Handles May Vary


Aluminium Sliding Doors




"S" indicates Safety Glass

Aluminium Folding Doors

3 Panels






5 Panels






"S" indicates Safety Glass

Aluminium Folding Doors

6 Panels






7 Panels



"S" indicates Safety Glass

10 Panels



“S” indicates Safety Glass

Aluminium Windows


Aluminium windows are extremely durable and resistant to harsh weather conditions.

They have a high corrosion resistance and will not swell, crack, split or warp over time.

Aluminium frames boast a superior lifespan compared to most other materials and require little maintenance.

Aluminium is 100% recyclable, non-toxic and completely sustainable. The recycling process of aluminium requires only 5% of the initial energy required to create it.

The standard colours are:



Natural



Bronze




Charcoal




White


Please note that the colour swatches used are only for illustrative purposes and are not an exact replica of the final product colour




Windows - 590mm (h)




PT66




PT96




PT126




PT156




PT186




PTT186




PT216



PTT216














PT246




PTT246

Windows - 890mm (h)




Windows - 1190mm (h)




"S" indicates Safety Glass


Windows - 1490mm (h)




PT615




PTT615




PT915




PTT915




PTT1215




PTT1515




P4TT1515




PTT1815




P4TT1815




PTT2115



P4TT2115






PTT2415



P4TT2415


"S" indicates Safety Glass

Windows - 1790mm (h)




"S" indicates Safety Glass


Windows - 890mm (h)




PS69




PS129




PSS129




PS159




PS189



PSS189




PSS219




PSS249


Windows - 1190mm (h)




PS612




PS1212




PSS1212




PS1512




PS1812



PSS1812




PSS2112




PSS2412


Windows - 1490mm (h)




PS615




PS1215




PSS1215




PS1515




PSS1515




PS1815



PSS1815




PSS2115




PSS2415

"S" indicates Safety Glass


Windows - 1790mm (h)




PS618




PS1218




PSS1218




PS1518




PSS1518




PS1818



PSS1818



PSS2118



PSS2418

"S" indicates Safety Glass


Single Doors

When judging the hand of combination doors, stand outside for open out doors and inside for open in doors.


Open In



Right Hand




Left Hand




Open Out



Left Hand



Right Hand




Double Doors

When judging the hand of combination doors, stand outside for open out doors and inside for open in doors.


Open In



Left Hand




Right Hand




Open Out




Left Hand



Right Hand




Single Doors



Widths are into rebate of frames. Heights are from finished floor to head rebate.

Combination Doors



Widths are into rebate of frames. Heights are from finished floor to head rebate.

Steel panels are braced to give additional rigidity. Barrel bolts are fitted to Top and Bottom of Door Leaf

Transformer Room Doors


Transformer room doors are fitted with a standard padlatch to meet the specifications outlined by ESKOM and Municipalities.

Heavy duty hinges are fitted on all doors. The doors are finished with Grey Oxide primer as standard coating, however, for coastal conditions, these can be manufactured to order from pre-galvanised steel.

- Louvred unit vent panel is optional
- Our standard doors are outward opening. Opening inward will be on order only.
- All doors are fitted with heavy duty hinges
- All units made for 230 wall p.o.s. but, on order, can be manufactured for 115mm or 280mm walls
- Units ex-galvanised sheet available for coastal areas.
- Units available with left or right hand openings
- All louvred units include vermin proof mesh behind the louvre blades
- The following options are also available
 - Industrial Grade Quick Release Mechanism (QRM)
 - Crawl Beam Cut-Outs
 - Removable Panels and Removable Transom (for above the standard door heights)
 - Anti-theft Rings to protect locks
- Ideal for Solar System Rooms for commercial or residential



Inside View
of QRM



Quick Release Mechanism

Transformer Room Doors



Oversize Door with
Extra Bracing
3000 x 3000



Fanlight removable
panel & crawl beam
cut out

Eskom Type Doors

- Eskom Type/City Power Slatated Substation doors.
- Approx. size: 1760 x 2580
- 2 Locking Eyes
- Anti tamper pipe to protect locks
- Fish tail lugs, at base, for inserting into concrete base
- Excluding the rubber sealing strips, to be fitted after installation
- Supply only, excludes delivery & installation



Eskom
3 Point Locking
Mechanism




Eskom
Front of
Door




Eskom
Door with
Anti-Tamper
Ring


Transformer Room Doors




Single Door
Type A
No Louvre Panel
Type AV
Bottom Louvre Panel
Type AVV
Top & Bottom Louvre Panels
Type AVA
Full Louvre Vents




Single Door
Type B
No Louvre Panel
Type BV
Bottom Louvre Panel
Type BVV
Top & Bottom Louvre Panels
Type BVA
Full Louvre Vents




Single Door
Type C
No Louvre Panel
Type CV
Bottom Louvre Panel
Type CWV
Top & Bottom Louvre Panels
Type CVA
Full Louvre Vents




Single Door
Type F
No Louvre Panel
Type FV
Bottom Louvre Panel
Type FVV
Top & Bottom Louvre Panels
Type FVA
Full Louvre Vents




Double Door
Type M
No Louvre Panel
Type MV
Bottom Louvre Panel
Type MVV
Top & Bottom Louvre Panels
Type MVA
Full Louvre Vents




Double Door
Type Y
No Louvre Panel
Type YV
Bottom Louvre Panel
Type YVV
Top & Bottom Louvre Panels
Type YVA
Full Louvre Vents




Single Door
Type H
No Louvre Panel
Type HV
Bottom Louvre Panel
Type HVV
Top & Bottom Louvre Panels
Type HVA
Full Louvre Vents




Double Door
Type G
No Louvre Panel
Type GV
Bottom Louvre Panel
Type GVV
Top & Bottom Louvre Panels
Type GVA
Full Louvre Vents




Double Door
Type D
No Louvre Panel
Type DV
Bottom Louvre Panel
Type DVV
Top & Bottom Louvre Panels
Type DVA
Full Louvre Vents



Type ALU





Type BLU







Louvre unit size

All transformer room doors are available fully louvred or with no louvres.

Steel Cupboard Frames



Elevations are shown from the rebate side
(LH) - Left Hand
(RH) - Right Hand
Sizes:
Height - from finished floor to overall frame
Width - overall frame



Widths between rebates and heights from finished floor to rebate at Head are as follows:


Code	Width	Height	Code	Width	Height
a	610mm	2 032mm	e	610mm	450mm
b	762mm	2 032mm	f	762mm	450mm
c	1 206mm	2 032mm	g	1 206mm	450mm
d	1 511mm	2 032mm	h	1 511mm	450mm

French Doors

2134mm	533	610	800	800	1022	1022	1181	1181	1511	1511
	NSADA	NSDA	NSDAS	NDAS	NDSADA	NADA	NDSDA	NDA	NSDDA	NDDA
2134mm	SADAH	SDAH	SDASH	DASH	DSADAH	ADAH	DSDAH	DAH	DSDDAH	DDAH
2134mm	SADA	SDA	SDAS	DAS	DSADA	ADA	DSDA	DA	DSDDA	DDA
2449mm	NSDAF1	NSDAF1	NSDAF1	NDASF1	NDSADF1	NDAF1	NDSDAF1	NDAF1	NSDDAF1	NDDAF1
2449mm	SADAHF1	SDAHF1	SDASHF1	DASHF1	DSADAHF1	ADAHF1	DSDAHF1	DAHf1	DSDDAHF1	DDAHF1
2449mm	SADAF1	SDAF1	SDASF1	DASF1	DSADF1	ADAF1	DSDAF1	DAF1	DSDDAF1	DDAF1
2743mm	NSDAF2	NSDAF2	NSDAF2	NDASF2	NDSADF2	NDAF2	NDSDAF2	NDAF2	NSDDAF2	NDDAF2
2743mm	SADAHF2	SDAHF2	SDASHF2	DASHF2	DSADAHF2	ADAHF2	DSDAHF2	DAHf2	DSDDAHF2	DDAHF2
2743mm	SADAF2	SDAF2	SDASF2	DASF2	DSADF2	ADAF2	DSDAF2	DAF2	DSDDAF2	DDAF2


*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

G Type - Height 359mm




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

E Type - Height 654mm




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

C Type - Height 949mm




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

D Type - Height 1245mm




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

D50 Type - Height 1540mm




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

D/S Type - Height 1264mm



*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.


D50/S Type - Height 1559mm



All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.


*Glass not included with frames - shown for illustration only

G/C Type - Height 1264mm




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

G/D Type - Height 1559mm



*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

G/D50 Type - Height 1854mm




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

TD Type



*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

TD Type




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

TD Type




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

SS Industrial



*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

SS Industrial




*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

School Type



*Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

FLAT BAR - 20X4,5mm



B1

B2


DIMENSIONS OF MATERIAL

4,5mm



20mm

ROUND BAR - 10mm



B11

B33

10mm



Horizontal

10mm



10mm




10mm square bars
at 150mm centres

Note - Bars spaced 125mm centre to centre
Matching designs for fanlights available


Cliscoe Windows

Inner type




The "inner" type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.

Outer type




The outer type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.




Typical cross-section viewed from the top.


Typical cross - section as seen from top to bottom.



Flat sill



To suit customer block size.




Side Hung open-out

Cliscoe Windows can be ordered in any window type configuration reflected in the previous pages


Specifications

Model	Builders Opening (Width x height)	Curtain Width	Width Inside Guide Rails
Matty 245 Roll-a-door	2400 x 2100	2450	2462
Matty Standard Roll-a-door	2500 x 2100	2550	2562
Matty Caravan	2500 x 2700	2550	2562
Matty 3M x 3M Door	3000 x 3000	3050	3062



Headroom


MM HEADROOM	A	B	C	D
NORMAL	390	40	120	460
RESTRICTED	315	40	85	460



Side Room for a ROLL-A-DOOR only



MM	E1
RECOMMENDED	100
MINIMUM	85

Automation System



Side Room Automation System

LH & RH	E2
120	155
110	130



Accessories

Unique design to provide efficient storage & full protection of your garage doors



Plastic Wheel



Spring



U Bolt




End Cap



Lock



Face Plate



Aluminium & Rubber Seal



Retainer



Wall Bracket



Channels



Nylofelt



Roller Guide




Handle



Locking Arm

Colours



Buffalo Brown



Charcoal



White



Zincalume




Traffic Green




Stone Grey

Opening Sizes & Clearances


Single Door




Double Door




Hardware Mechanism




Colours Available




Bronze




White



Buffalo Brown



Charcoal



Stone Grey



alu lux™

Raised & Fielded

The Alu-Lux™ and Bellmore™ garage doors, proudly crafted in South Africa, are meticulously manufactured and assembled right here. The design is tailor-made to withstand the challenging weather conditions commonly experienced in coastal regions. By choosing our garage doors, you not only gain peace of mind but also enjoy unparalleled quality that surpasses expectations.



Horizontal Garage Door

For many years, Super Doors has established itself as the premier producer of garage doors in South Africa. We are committed to providing you with the utmost excellence in cutting-edge designs, superior quality, top-notch safety features, and a wide range of options. Our renowned Alu-Lux™ and Bellmore™ garage doors, crafted exclusively from the acclaimed Aluzinc material, guarantee that you receive nothing but the finest product available.

Colours Available




JET BLACK



STONE GREY



BRONZE



WHITE



CHARCOAL



BROWN

Sectional Garage Doors



Finger Shield™

The side view of the pinch prevention patented panels, indicates the design innovation that will protect you and your family from serious hand or finger injuries. Together with this unique safety feature, it also has a higher than normal overlapping joint which seals each panel into the next. This prevents dust and rain penetrating the building.



Double Strength Intermediates & End Caps

Double lipped intermediate struts allow for double the glued surface. Larger glued surfaces, which consist of a polyurethane high modulus glue, has proven to be the best in adhering metal to metal, ensuring a 50% stronger bond.

The boxes end caps being fixed on both sides stabilizes the panel, preventing flexing and allows for stronger and more secure fixing of hinges and other hardware.

Properly fixed hinges ensure a smoother and quieter functioning door.



Super Drive SD-600N/SD-1000N Garage Door Openers

The garage door is usually the most used door in a home. The choice of a reliable and safe garage door opener is paramount.


With smooth quiet operation with minimal transmitted vibration, the Super Drive™ motors are ideal for homes with living rooms close to the garage. The opener ensures a flexible soft start and stop during the end of the travel cycle, resulting in a reduction of speed and noise. The opener also comes standard with automatic obstacle detection.

For added security, rolling code technology prevents the 'stealing of codes' as this means a brand new code is generated every time the opener is used, keeping your family and belongings safe and secure.



Features

- 600/1000 Newton's Force
- Silent Operation
- Soft Start & Soft Stop
- Obstacle Detection Function
- Accurate Electronic Limits



CHAIN DRIVEN



2 REMOTES
(with brackets)




BATTERY
BACK-UP



EASY
PROGRAMMING



Ultra Barrier




Trackless Slam Lock Security Door

Gate Height: 2000mm

Maximum Width Sizes: 840 - 900mm | 1000mm | 1150mm | 1300mm | 1450mm
1600mm | 1950mm

Lock side: Left or Right **Colour Options:** White | Charcoal | Bronze

Ultra Secure



DIY Burglar Bars for Windows


Height Range: 600mm | 900mm | 1200mm | 1500mm | 1800mm

Width Range: 600mm | 900mm | 1200mm | 1500mm | 1800mm | 2100mm | 2400mm

Colour Options: White | Charcoal | Bronze



Ultra Secure





DIY Single Upright Slam Lock Security Door

Gate Height: 2000mm - 2100mm

Maximum Width Sizes: 900mm | 1200mm | 1500mm | 1800mm | 2100mm | 2400mm | 2700mm
3000mm | 3300mm | 3600mm | 3900mm | 4200mm | 4500mm

Lock side: Left or Right **Colour Options:** White | Charcoal | Bronze

Mega Secure




Purpose Made Double Upright Security Door

Gate Height: 2000mm
Width Range: 840 - 900mm | 1000mm | 1150mm | 1300mm | 1450mm | 1600mm
1800mm | 1950mm

Lock side: Left or Right **Colour Options:** White | Charcoal | Bronze




Ultra Swing Gate




Security Door

Range & Sizes	Width	Height
Ultra Expand	770 -900mm	2000mm
Ultra Trellis	770mm	2000mm
Ultra Barrier	770mm	2000mm
Arrow	770mm	2000mm
Arrow Eco	770mm	2000mm
Horizontal	770mm	2000mm
Horizontal Eco	770mm	2000mm
Gridlock	770mm	2000mm


Colour Options: White | Charcoal | Bronze




Trellis




Arrow



Horizontal



Gridlock



Ultra



+27 (11) 974 0024



www.robmeg.co.za



enquiries@robmeg.co.za



22 Monteer Road, Isando

