

PRODUCT 38 28

Welcome

Our company was established in February 2002 as a steel service centre focused on supplying steel-related products to the manufacturing industry.

Thanks to our team's extensive knowledge and skill, we quickly became one of the market leaders in steel and aluminium manufacturing of windows, doors & garage doors.

At Robmeg Steel, we are committed to manufacturing quality products that are both efficient and cost-effective. Our main pillars of quality and service ensure that we consistently deliver on our promises.

As a family-run business, we believe in treating our staff with equality, compassion, and respect. This approach has created a cohesive team that works together effectively, with a strong sense of camaraderie, dignity, and job satisfaction.

Innovation is a core part of our company culture, and we are proud to be market leaders in our product design. Our focus on innovation allows us to improve the quality and efficiency of our products continually.


We are excited to showcase our comprehensive range of products, which includes aluminium windows, doors, sliding doors, and folding doors, as well as metal windows and doors, and garage doors, including sectional garage doors.

At Robmeg Steel, we take great pride in providing our customers with a diverse selection of top-quality products. Our aluminium windows and doors are designed to be both stylish and durable, making them an excellent choice for any home or business. Our sliding doors are perfect for creating a seamless transition between indoor and outdoor spaces, while our folding doors offer an innovative and space-saving solution.

In addition to our aluminium products, we also offer a wide range of metal windows and doors. These products are built to last and provide excellent security and protection.

Our garage doors, including sectional garage doors, are designed to be both functional and stylish, adding value to any property.

We believe that our extensive product range reflects our commitment to providing our customers with the very best in quality and value. Whether you are looking for aluminium windows and doors, metal windows and doors, or garage doors, we are confident that we have the perfect product to meet your needs.



Aluminium Product Range

We are excited to introduce our range of high-quality aluminium products, which includes a variety of windows and doors.

Our aluminium windows are available in both top and side hung configurations, providing versatile options to suit your specific needs.

Our aluminium doors are designed to be both stylish and functional, offering excellent security and energy efficiency.

For those looking to create a seamless transition between indoor and outdoor spaces, our aluminium sliding doors are an excellent choice. They provide a modern and elegant look while allowing natural light to flood into your home or business.

Our aluminium stacking doors are a fantastic solution for those who want to maximise space and create an open and inviting atmosphere. These doors are easy to operate and can be customised to fit any size opening.

At our company, we take great pride in providing our customers with a wide range of high-quality aluminium products.

We believe that our extensive product range reflects our commitment to excellence and our desire to meet our customers' unique needs.

All our windows and doors are manufactured to standard industry sizes with a size tolerance between -2mm and +2mm.

When measuring and placing orders the sizes should be based on the openings as viewed from the outside of the area.

For protection and quality, the products are delivered wrapped to protect against building debris and mess such as cement, plaster, paint, etc.

We recommend only removing the wrapping once all building and painting is complete.

Our standard colours are:



Please note that the colour swatches used are only for illustrative purposes and are not an exact replica of the final product colour



Aluminium Doors



Arrow Full Glass EDAR



Valencia EDVC



llano EDIL



Cottage 8 Pane EDCPIRBRTSGOBS



Elegance EDEL



Full Pane EDFP



Americana EDAM



2 Pane Door ED2P



4 Pane Horizontal EDH4



8 Pane Horizontal EDH8



Staggered EDST



Criss Cross EDCC



Aluminium Doors



Staggered Solid EDSS



Full Slats EDFS

Aluminium Stable Doors



Stable Horizontal STH4



Staggered Solid Stable STSS



Mid Rail Stable STMR



Half Glass Solid STHS



Exquisite STEXIRBRS10SIL



Aluminium Doors

Aluminium Pivot Doors



Aluminium Doors with Sidelights



Exquisite Stable Door with STEXIRBRS10SIL+SL




Full Exquisite Door with EDEXIRBRS10SIL + SL



Valencia with Side Light ED2P



Aluminium Sliding Doors




"S" indicates Safety Glass





Aluminium Folding Doors


3 Panels



5 Panels









Aluminium Folding Doors

6 Panels




7 Panels







Aluminium Folding Doors

10 Panels







Aluminium Windows

Aluminium windows are extremely durable and resistant to harsh weather conditions.

They have a high corrosion resistance and will not swell, crack, split or warp over time.

Aluminium frames boast a superior lifespan compared to most other materials and require little maintenance.

Aluminium is 100% recyclable, non-toxic and completely sustainable. The recycling process of aluminium requires only 5% of the initial energy required to create it.

The standard colours are:





Please note that the colour swatches used are only for illustrative purposes and are not an exact replica of the final product colour







Windows - 590mm (h)












Windows - 890mm (h)













Windows - 1190mm (h)



Windows - 1490mm (h)









"S" indicates Safety Glass



Windows - 1490mm (h)





Windows - 1790mm (h)





ROBMEGSTEEL
Steel & Aluminium Framework

Windows - 1790mm (h)














Windows - 890mm (h)





















Windows - 1190mm (h)























Windows - 1490mm (h)








"S" indicates Safety Glass



Windows - 1790mm (h)

PSS2118



ROBMEGSTEEL Steel & Aluminium Framework


PSS2418


Door Handing Guide

Single Doors

When judging the hand of combination doors, stand outside for open out doors and inside for open in doors.

Open In








Door Handing Guide

Double Doors

When judging the hand of combination doors, stand outside for open out doors and inside for open in doors.

Open In






Outside

Outside


Door Installation Guide

Single Doors



Widths are into rebate of frames. Heights are from finished floor to head rebate.

Combination Doors




Widths are into rebate of frames. Heights are from finished floor to head rebate.

Steel panels are braced to give additional rigidity. Barrel bolts are fitted to Top and Bottom of Door Leaf




Door Installation Guide

Screeded Steel Door Frames



Fanlight Type Frames



Note: Non-screeded Door Frames are 2064mm in overall height, which is 21mm shorter in length than screeded frames




Transformer Room Doors

Transformer room doors are fitted with a standard padlatch to meet the specifications outlined by ESKOM and Municipalities.

Heavy duty hinges are fitted on all doors. The doors are finished with Grey Oxide primer as standard coating, however, for coastal conditions, these can be manufactured to order from pre-galvanised steel.


- Louvred unit vent panel is optional
- Our standard doors are outward opening. Opening inward will be on order only.
- All doors are fitted with heavy duty hinges
- All units made for 230 wall p.o.s. but, on order, can be manufactured for 115mm or 280mm walls
- Units ex-galvanised sheet available for coastal areas.
- Units available with left or right hand openings
- All louvred units include vermin proof mesh behind the louvre blades
- The following options are also available
 - Industrial Grade Quick Release Mechanism (QRM)
 - Crawl Beam Cut-Outs
 - Removable Panels and Removable Transom (for above the standard door heights)
 - Anti-theft Rings to protect locks
- Ideal for Solar System Rooms for commercial or residential







Transformer Room Doors



Oversize Door with Extra Bracing 3000 x 3000



Fanlight removable panel & crawl beam cut out



Eskom Type Doors

- Eskom Type/City Power Slated Substation doors.
- Approx. size: 1760 x 2580
- 2 Locking Eyes
- Anti tamper pipe to protect locks
- Fish tail lugs, at base, for inserting into concrete base
- Excluding the rubber sealing strips, to be fitted after installation
- Supply only, excludes delivery & installation



Eskom
3 Point Locking
Mechanism






Eskom Door with Anti-Tamper Ring




Transformer Room Doors



Single Door
Type A

No Louvre Panel
Type AV

Bottom Louvre Panel
Type AVV
Top & Bottom Louvre Panels
Type AVA
Full Louvre Vents




Single Door
Type B


No Louvre Panel
Type BV

Bottom Louvre Panel
Type BVV


Top & Bottom Louvre Panels
Type BVA
Full Louvre Vents



Single Door
Type C
No Louvre Panel
Type CV
Bottom Louvre Panel
Type CW
Top & Bottom Louvre Panels
Type CVA
Full Louvre Vents



Single Door **Type F** No Louvre Panel




Double Door
Type M


No Louvre Panel
Type MV

Bottom Louvre Panel
Type MVV

Top & Bottom Louvre Panels
Type MVA
Full Louvre Vents



Double Door
Type Y
No Louvre Panel
Type YV
Bottom Louvre Panel
Type YWV
Top & Bottom Louvre Panels
Type YVA
Full Louvre Vents




Single Door
Type H

No Louvre Panel
Type HV

Bottom Louvre Panel
Type HVV

Top & Bottom Louvre Panels
Type HVA
Full Louvre Vents





Double Door
Type D


No Louvre Panel
Type DV

Bottom Louvre Panel
Type DVV

Top & Bottom Louvre Panels
Type DVA
Full Louvre Vents







All transformer room doors are available fully louvred or with no louvres.




Steel Cupboard Frames

2580 1

CCFS (LH)

2032mm



Widths between rebates and heights from finished floor to rebate at Head are as follows:

CDFS

b

CCFL (RH)


Code	Width	Height	Code	Width	Height
a b	610mm 762mm	2 032mm 2 032mm	e	610mm 762mm	450mm 450mm
C	1 206mm	2 032mm	g	1 206mm	450mm
d	1 511mm	2 032mm	h	1 511mm	450mm



· · Screed

Steel Doors


French Doors



 $^*\mbox{Glass}$ not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.



G Type - Height 359mm











E Type - Height 654mm





^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

C Type - Height 949mm



C4F

C5F




C12F

C22F

^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.


D Type - Height 1245mm



^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.




D50 Type - Height 1540mm



^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.




D/S Type - Height 1264mm



^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.



D50/S Type - Height 1559mm



All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

*Glass not included with frames - shown for illustration only




G/C Type - Height 1264mm

-70	.,,,,,		0			
533	533	1022	1511	1511	2000	₹ 2489
NG1NC1	NG5NC1	NG2NC2	NG3NC3	NG4NC3	NG22NC22	
NG1NC5	NG5NC5	NG7NC7	NG3NC4	NG4NC4	NG88NC88	
		NG8NC8	NG9NC9	NG10NC10	NG11NC11	NG12NC12
G1HC1H	G5HC1H	G2HC2H	G3HC3H	G4HC3H	G22HC22H	
G1HC5H	G5HC5H	G7HC7H	G3HC4H	G4HC4H	G88HC88H	
		G8HC8H	G9HС9H	G10HC10H	G11HC11H	G12HC12H
G1C1	G5C1	G2C2	G3C3	G4C3	G22C22	
G1C5	G5C5	G7C7	G3C4	G4C4	G88C88	G12C12



 $^{^{\}star}\text{Glass}$ not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

G/D Type - Height 1559mm




^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

G9D9

G8D8



G/D50 Type - Height 1854mm




^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

G9D59

G8D58




TD Type



^{*}Glass not included with frames - shown for illustration only
All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.




TD Type




 $^{^{\}star}\text{Glass}$ not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.




TD Type








SS Industrial



^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.



SS Industrial



^{*}Glass not included with frames - shown for illustration only All F7 Windows will have a width shortage of 25mm in comparison to your FX7 Window.

SS56

SSF56




SSA56

SSA36

SSA46


School Type








Burglar Bars




Note - Bars spaced 125mm centre to centre Matching designs for fanlights available




Cliscoe Windows





The ‡inner· type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.

The outer type Cliscoe can be manufactured to suit all types of windows in the catalogue and to suit any block size.




Cliscoe Windows can be ordered in any window type configuration refected in the previous pages





Specifications

Model	Builders Opening (Width x height)	Curtain Width	Width Inside Guide Rails
Matty 245 Roll-a-door	2400 x 2100	2450	2462
Matty Standard Roll-a-door	2500 x 2100	2550	2562
Matty Caravan	2500 x 2700	2550	2562
Matty 3M x 3M Door	3000 x 3000	3050	3062




Headroom

MM HEADROOM A B C D

NORMAL 390 40 120 460


RESTRICTED 315 40 85 460



Side Room for a ROLL-A-DOOR only


MM E1 RECOMMENDED 100 MINIMUM 85






Side Room Automation System

LH & RH E2 120 155 110 130







Garage Doors



Accessories

Unique design to provide effient storage & full protection of your garage doors



Colours









Opening Sizes & Clearances


C A 400mm D B 140mm C 2440mm D 2135mm (Standard) D 2560mm (Caravan)



Hardware Mechanism



Colours Available









Sectional Garage Doors



ROBMEGSTEEL



Raised & Fielded

The Alu-Lux[™] and Value-Lux[™] garage doors, proudly crafted in South Africa, are meticulously manufactured and assembled right here. The design is tailor-made to withstand the challenging weather conditions commonly experienced in coastal regions. By choosing our garage doors, you not only gain peace of mind but also enjoy unparalleled quality that surpasses expectations.



Horizontal Garage Door

For many years, Super Doors has established itself as the premier producer of garage doors in South Africa. We are committed to providing you with the utmost excellence in cutting-edge designs, superior quality, top-notch safety features, and a wide range of options. Our renowned Alu-Lux™ and Value-Lux™ garage doors, crafted exclusively from the acclaimed Aluzinc material, guarantee that you receive nothing but the finest product available.

Sectional Garage Doors







Finger Shield™

The side view of the pinch prevention patented panels, indicates the design innovation that will protect you and your family from serious hand or finger injuries. Together with this unique safety feature, it also has a higher than normal overlapping joint which seals each panel into the next. This prevents dust and rain penetrating the building.

Double Strength Intermediates & End Caps

Double lipped intermediate struts allow for double the glued surface. Larger glued surfaces, which consist of a polyurethane high modulus glue, has proven to be the best in adhering metal to metal, ensuring a 50% stronger bond.

The boxes end caps being fixed on both sides stabilizes the panel, preventing flexing and allows for stronger and more secure fixing of hinges and other hardware.

Properly fixed hinges ensure a smoother and quieter functioning door.

Super Drive SD-600N/SD-1000N Garage Door Openers

The garage door is usually the most used door in a home. The choice of a reliable and safe garage door opener is paramount.

With smooth quiet operation with minimal transmitted vibration, the Super Drive[™] motors are ideal for homes with living rooms close to the garage. The opener ensures a flexible soft start and stop during the end of the travel cycle, resulting in a reduction of speed and noise. The opener also comes standard with automatic obstacle detection.

For added security, rolling code technology prevents the 'stealing of codes' as this means a brand new code is generated every time the opener is used, keeping your family and belongings safe and secure.

Features

- 600/1000 Newton's Force
- Silent Operation
- Soft Start & Soft Stop
- Obstacle Detection Function
- Accurate Electronic Limits







BATTERY BACK-UP



OPEN

EASY PROGRAMMING



wiFi

Sectional Garage Doors





Carbella Charcoal




Keymore Bronze



Contact Information







+27 (11) 974 0024



www.robmeg.co.za



enquiries@robmeg.co.za



22 Monteer Road, Isando

